

## **MATERIAL SAFETY DATA SHEET**

---

### **Section 1: Identification of the substance/mixture and of the company/undertaking**

#### **1.1. Product identifier**

**Product Name:** Aquabond Aquafix Adhesive  
**Unique Formula Identifier:** UFI 7500-W011-T00S-Q7WX

#### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of substance / mixture:** PC1 Adhesive.

#### **1.3. Details of the supplier of the safety data sheet**

**Company name:** EnviroStik Holdings (UK) Ltd,  
Airfield Industrial Estate  
Hixon  
Stafford  
ST18 0PF  
England

**Tel:** (01889) 271751

**Email:** [salesupport@envirostik.com](mailto:salesupport@envirostik.com)

#### **1.4. Emergency telephone number**

**Emergency tel:** (01889) 271751 (Monday to Friday 9am – 5pm)

No nanoforms are used.

---

### **Section 2: Hazards identification**

#### **2.1. Classification of the substance or mixture**

##### **Classification**

Skin Irrit. 2; H315  
Skin Sens. 1; H317  
Eye Irrit. 2; H319  
Acute Tox. 4; H332  
Resp. Sens. 1; H334  
STOT SE 3; H335  
Carc. 2; H351  
STOT RE 2; H373  
Aquatic Chronic 3; H412

**Physicochemical** Vapours are heavier than air and may travel along the floor and accumulate in the bottom of containers.

## 2.2. Label elements

### Pictogram



**Signal word** Danger

**Hazard statements** H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H335 May cause respiratory irritation.  
H351 Suspected of causing cancer.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H412 Harmful to aquatic life with long lasting effects

### **Precautionary statements**

EUH204 Contains isocyanates. May produce an allergic reaction.  
P260 Do not breathe vapour/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P281 Use personal protective equipment as required.  
P284 [In case of inadequate ventilation] wear respiratory protection.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P501 Dispose of contents/container in accordance with national regulations.  
RCH004a Persons already sensitised to diisocyanates may develop allergic reactions when using this product.  
RCH004b Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.  
RCH004c This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

**Contains** DIPHENYLMETHANEDIISOCYANATE (MIXTURE OF ISOMERS AND HOMOLOGUES)

### Supplementary precautionary statements

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing vapour/spray.  
P264 Wash contaminated skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273: Avoid release to the environment  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P312 Call a POISON CENTER/doctor if you feel unwell.  
P313 Get medical advice/attention.  
P314 Get medical advice/attention if you feel unwell.  
P321 Specific treatment (see medical advice on this label).  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P337 If eye irritation persists: Get medical advice/attention.  
P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.  
P362 Take off contaminated clothing.  
P363 Wash contaminated clothing before reuse.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB or any endocrine disruptors.

---

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

Substance	Percentage	CAS Number	EC Number	Hazard classification	SCLs/M-Factor/ATE
Oxirane, methyl-, polymer with oxirane, ether with 1,2,3-propanetriol (3:1), polymer with 1,1'-methylenebis[isocyanatobenzene] (90%)	<50%	112898-48-3	670-235-7	Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 Acute Tox. 4; H332 Resp. Sens. 1; H334 STOT SE 3; H335 STOT RE 2; H373	<b>LC50</b> Inhal: 11 mg/l (Converted ATE)
4,4'-methylenediphenyl diisocyanate (24.99%)	<20%	101-68-8	202-966-0	Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 Acute Tox. 4; H332 Resp. Sens. 1; H334 STOT SE 3; H335 Carc, 2; H351 STOT RE 2; H373	<b>SCLs</b> Eye Irrit. 2; H319: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0,1 % STOT SE 3; H335: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 % <b>LC50</b> Inhal: 11 mg/l (Converted ATE)
o-(p-isocyanatobenzyl)phenyl isocyanate (4.99%)	<5%	5873-54-1	227-534-9	Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 Acute Tox. 4; H332 Resp. Sens. 1; H334 STOT SE 3; H335 Carc, 2; H351 STOT RE 2; H373	<b>SCLs</b> Eye Irrit. 2; H319: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0,1 % STOT SE 3; H335: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 % <b>LC50</b> Inhal: 11 mg/l (Converted ATE)

Isocyanic acid, polymethylenepolyphenylene ester (90%)	<10%	9016-87-9	618-498-9	Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 Acute Tox. 4; H332 Resp. Sens. 1; H334 STOT SE 3; H335 Carc. 2; H351 STOT RE 2; H373	<b>LC50</b> Inhal: 11 mg/l (Converted ATE)
A mixture of: 3,5-dimethylthio-2,4-toluenediamine; 3,5-dimethylthio-2,6-toluenediamine (100%)	<1%	106264-79-3	403-240-8	Acute Tox. 4; H302 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	<b>LD50</b> Oral: 1515 mg/kg bw

The Full Text for all Hazard Statements are Displayed in Section 16.

## Section 4: First aid measures

### 4.1. Description of first aid measures

<b>General Information:</b>	Remove affected person from source of contamination.
<b>Inhalation:</b>	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
<b>Ingestion:</b>	Do not induce vomiting. Get medical attention immediately.
<b>Skin Contact:</b>	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if any discomfort continues.
<b>Eye Contact:</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.
<b>Protection of first aiders:</b>	First aid personnel should wear appropriate protective equipment during any rescue

---

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information:</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation:</b>	Irritation of nose, throat and airway. Coughing, chest tightness, feeling of chest pressure.
<b>Ingestion:</b>	May cause discomfort if swallowed
<b>Skin Contact:</b>	Prolonged skin contact may cause redness and irritation.
<b>Eye Contact:</b>	Severe irritation, burning and tearing.

---

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor:</b>	No specific recommendations. If in doubt, get medical attention promptly.
<b>Specific treatments:</b>	Treat symptomatically.

---

### Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media:** Extinguish with foam, carbon dioxide, dry powder or water fog.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

**Specific hazards:** The product is non-combustible. Irritating gases or vapours. Not known.

**Hazardous combustion products:**

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon. Oxides of nitrogen.

### 5.3. Advice for fire-fighters

#### Protective actions during firefighting:

Containers close to fire should be removed or cooled with water.  
Do not allow water to contact any leaked material.

#### Special protective equipment for firefighters:

Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

---

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal Precautions:** Refer to section 8 of SDS for personal protection details.

### 6.2. Environmental precautions

**Environmental Precautions:** Contain the spillage using bunding. Do not discharge into drains or rivers.

### 6.3. Methods and material for containment and cleaning up

**Clean up Procedures:** Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS for personal protection details.

---

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions:** Avoid inhalation of vapours and spray/mists. Avoid contact with skin and eyes. Do not use in confined spaces without adequate ventilation and/or respirator. Spraying is permitted only in closed systems, spray cabinets or spray boxes with adequate ventilation.

**Advice on general occupational hygiene:**

Wash promptly with soap and water if skin becomes contaminated. Preventive industrial medical examinations should be carried out.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage precautions:** Store in closed original container at temperatures between 5°C and 25°C.

**Storage class:** Chemical storage.  
**Incompatibilities:** Strong oxidising agents.

**7.3. Specific end use(s)**

**Specific end use(s):** The identified uses for this product are detailed in Section 1.2.

---

**Section 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

**DIPHENYLMETHANEDIISOCYANATE (MIXTURE OF ISOMERS AND HOMOLOGUES)**

Long-term exposure limit (8-hour TWA): WEL 0.07 mg/m<sup>3</sup>  
Short-term exposure limit (15-minute): WEL 0.02 mg/m<sup>3</sup>

**Ingredient comments** WEL = Workplace Exposure Limits

**DIPHENYLMETHANEDIISOCYANATE (MIXTURE OF ISOMERS AND HOMOLOGUES) (CAS: 32055-14-4)**

**Ingredient comments** WEL = Workplace Exposure Limits

**DNEL**

Workers - Dermal; Short term systemic effects: 50 mg/kg  
Workers - Inhalation; Short term systemic effects: 0.1 mg/m<sup>3</sup>  
Workers - Dermal; Short term local effects: 28.7 mg/cm<sup>2</sup>  
Workers - Inhalation; Short term local effects: 0.1 mg/m<sup>3</sup>  
Workers - Inhalation; Long term systemic effects: 0.05 mg/m<sup>3</sup>  
Workers - Inhalation; Long term local effects: 0.05 mg/m<sup>3</sup>  
General population - Dermal; Short term systemic effects: 25 mg/kg  
General population - Inhalation; Short term systemic effects: 0.05 mg/m<sup>3</sup>  
General population - Oral; Short term systemic effects: 20 mg/kg  
General population - Dermal; Short term local effects: 17.2 mg/cm<sup>2</sup>  
General population - Inhalation; Short term local effects: 0.05 mg/m<sup>3</sup>  
General population - Inhalation; Long term systemic effects: 0.025 mg/m<sup>3</sup>  
General population - Inhalation; Long term local effects: 0.025 mg/m<sup>3</sup>

## **PNEC**

Fresh water; 1 mg/l

Marine water; 0.1 mg/l

Soil; 1 mg/kg dry weight

STP; 1 mg/l

## **8.2. Exposure controls**

### **Protective equipment**



### **Appropriate engineering controls:**

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

### **Eye/face protection:**

Wear chemical splash goggles.

### **Hand protection:**

It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended. For exposure up to 8 hours, wear gloves made of the following material: Neoprene.

### **Other skin and body protection:**

Wear suitable protective clothing as protection against splashing or contamination. Wear apron or protective clothing in case of contact.

### **Hygiene measures:**

Use engineering controls to reduce air contamination to permissible exposure level. Wash hands after handling. When using do not eat, drink or smoke.

### **Respiratory protection:**

If ventilation is inadequate, suitable respiratory protection must be worn. If ventilation is inadequate, suitable respiratory protection must be worn. Wear a respirator fitted with the following cartridge: Combination filter, type A2/P3.

### **Thermal hazards:**

Not relevant

### **Environmental exposure controls:**

Keep container tightly sealed when not in use.

---

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

(a) Physical State:	Liquid
(b) Colour:	Green
(c) Odour:	Characteristic
(d) Melting Point/Freezing point:	<10°C
(e) Initial Boiling Point:	330 °C
(f) Flammability:	Not available
(g) Lower and upper explosion limits:	Estimated value: 0.6% - 11.5%
(h) Flash Point:	>200°C
(i) Auto-ignition temperature:	>600°C
(j) Decomposition Temperature:	Not available.
(k) pH:	Estimated value. pH: 7
(l) Kinematic Viscosity:	>2000 cP @ 25°C
(m) Solubility:	Insoluble in water.
(n) Partition coefficient n-octanol/water (log value):	Not available.
(o) Vapour pressure:	0.01 Pa @ °C
(p) Relative Density:	1.12
(q) Relative Vapour density:	8.5
(r) Particle Characteristics:	not relevant

### 9.2. Other information

Other information:	No information required.
Refractive index:	Not available.
Particle size:	Not available.
Molecular weight:	Not available.
Volatility:	Not available.
Saturation concentration:	Not available.
Critical temperature:	Not available.
Volatile organic compound:	No information available.

---

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** The product will harden into a solid mass in contact with water and moisture.

### 10.2. Chemical stability

**Chemical stability:** Stable at normal ambient temperatures and when used as recommended.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Not applicable. May polymerise.

### 10.4. Conditions to avoid

**Conditions to avoid:** Avoid contact with water.

#### 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents.

#### 10.6. Hazardous decomposition products

##### **Hazardous decomposition products:**

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon. Oxides of nitrogen.

---

### Section 11: Toxicological information

#### 11.1 Information on toxicological effects

**Toxicological effects:** No information available.

**Other health effects:** There is no evidence that the product can cause cancer.

#### Acute toxicity - inhalation

**ATE inhalation (vapours mg/l):** 30.56

**ATE inhalation (dusts/mists mg/l)** 4.17

**Skin corrosion/irritation - Animal data:** Irritating

**Serious eye damage/irritation:** Moderately irritating.

**Respiratory sensitisation:** Sensitising

**Skin sensitisation:** Not determined

**Carcinogenicity:** Suspected carcinogen based on limited evidence.

**Target organ for carcinogenicity:** No specific target organs known.

#### Reproductive toxicity

Reproductive toxicity – fertility: Not available

Reproductive toxicity – development: This substance has no evidence of toxicity to reproduction.

#### Specific target organ toxicity (STOT) - repeated exposure:

Morphological changes that are potentially reversible but provide clear evidence of marked organ dysfunction.

**Aspiration hazard:** Not anticipated to present an aspiration hazard, based on chemical structure.

**General information:** No specific health hazards known.

<b>Inhalation:</b>	Irritating to respiratory system. May cause sensitisation by inhalation.
<b>Ingestion:</b>	May cause stomach pain or vomiting.
<b>Skin contact:</b>	Irritating to skin. May cause sensitisation by skin contact.
<b>Eye contact:</b>	Irritation of eyes and mucous membranes.
<b>Acute and chronic health hazards:</b>	May cause sensitisation by skin contact. The product contains small quantities of isocyanate. May cause respiratory allergy. May cause respiratory system irritation. May cause respiratory system irritation. Frequent inhalation of vapours may cause respiratory allergy.
<b>Route of entry:</b>	Inhalation Skin and/or eye contact
<b>Medical symptoms:</b>	Irritation of eyes and mucous membranes. Coughing, chest tightness, feeling of chest pressure.
<b>Medical considerations:</b>	Chronic respiratory and obstructive airway diseases.

#### **Toxicological information on ingredients.**

#### **DIPHENYLMETHANEDIISOCYANATE (MIXTURE OF ISOMERS AND HOMOLOGUES)**

##### **Acute toxicity - oral**

**Acute toxicity oral (LD50 mg/kg):** 10,000.0  
**Species:** Rat

**ATE oral (mg/kg):** 10,000.0

##### **Acute toxicity - dermal**

**Acute toxicity dermal (LD50 mg/kg):** 9,400  
**Species:** Rabbit

**ATE dermal (mg/kg):** 9,400

##### **Acute toxicity - inhalation**

**Acute toxicity inhalation (LC50 vapours mg/l):** 0.493  
**Species:** Rat

**Acute toxicity inhalation (LC50 dust/mist mg/l):** 0.31  
**Species:** Rat

<b>ATE inhalation (vapours mg/l):</b>	11.0
<b>ATE inhalation (dusts/mists mg/l):</b>	1.5
<b>Skin corrosion/irritation - Animal data:</b>	Irritating.
<b>Serious eye damage/irritation:</b>	Moderately irritating.
<b>Respiratory sensitisation:</b>	Sensitising
<b>Skin sensitisation:</b>	Not determined
<b>Carcinogenicity:</b>	Suspected carcinogen based on limited evidence.
<b>Target organ for carcinogenicity:</b>	No specific target organs known.

**Reproductive toxicity - development:**

This substance has no evidence of toxicity to reproduction.

**Specific target organ toxicity (STOT) - repeated exposure:**

Morphological changes that are potentially reversible but provide clear evidence of marked organ dysfunction.

**Aspiration hazard:**

Not anticipated to present an aspiration hazard, based on chemical structure.

**Inhalation:** Irritating to respiratory system. May cause sensitisation by inhalation.

**Ingestion:** May cause stomach pain or vomiting.

**Skin contact:** Irritating to skin. May cause sensitisation by skin contact.

**Eye contact:** Irritation of eyes and mucous membranes.

**Acute and chronic health hazards:**

May cause sensitisation by skin contact. The product contains small quantities of isocyanate. May cause respiratory allergy. May cause respiratory system irritation. May cause respiratory system irritation. Frequent inhalation of vapours may cause respiratory allergy.

**Route of entry:** Inhalation Skin and/or eye contact

**Medical symptoms:** Irritation of eyes and mucous membranes. Coughing, chest tightness, feeling of chest pressure.

**Medical considerations:**

Chronic respiratory and obstructive airway diseases.

## 11.2 Information on other hazards

No endocrine disrupting properties.

---

## Section 12: Ecological information

**Ecotoxicity:** The product is not expected to be hazardous to the environment

### Ecological information on ingredients.

#### DIPHENYLMETHANEDIISOCYANATE (MIXTURE OF ISOMERS AND HOMOLOGUES)

**Ecotoxicity:** The product is not expected to be hazardous to the environment

#### 12.1. Toxicity

<b>Acute toxicity - fish</b>	LC50, 96 hours, 96 hours: > 1000 mg/l, Freshwater fish
<b>Acute toxicity - aquatic invertebrates</b>	EC50, 48 hours: >500 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants.</b>	EC50, 72 hours, 72 hours: ~ 1640 mg/l, Scenedesmus subspicatus

### Ecological information on ingredients

#### DIPHENYLMETHANEDIISOCYANATE (MIXTURE OF ISOMERS AND HOMOLOGUES)

<b>Acute toxicity - fish</b>	LC50, 96 hours, 96 hours: > 1000 mg/l, Freshwater fish
<b>Acute toxicity - aquatic invertebrates</b>	EC50, 48 hours: >500 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	EC50, 72 hours, 72 hours: ~ 1640 mg/l, Scenedesmus subspicatus
<b>Acute toxicity - microorganisms</b>	EC50, 3 hours: 100 mg/l, Activated sludge
<b>Chronic toxicity - aquatic invertebrates</b>	NOEC, 21 days: 10 mg/l, Daphnia magna

#### 12.2. Persistence and degradability

<b>Persistence and degradability:</b>	The product is not readily biodegradable.
<b>Stability (hydrolysis):</b>	Reacts with water
<b>Biological oxygen demand:</b>	< 10 g O <sub>2</sub> /g substance

### Ecological information on ingredients.

#### DIPHENYLMETHANEDIISOCYANATE (MIXTURE OF ISOMERS AND HOMOLOGUES)

<b>Persistence and degradability:</b>	The product is not readily biodegradable.
<b>Stability (hydrolysis):</b>	Reacts with water
<b>Biological oxygen demand:</b>	< 10 g O <sub>2</sub> /g substance

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** The product does not contain any substances expected to be bioaccumulating.

**Partition coefficient:** Not available

#### Ecological information on ingredients.

### DIPHENYLMETHANEDIISOCYANATE (MIXTURE OF ISOMERS AND HOMOLOGUES)

**Bioaccumulative potential:** The product does not contain any substances expected to be bioaccumulating.

### 12.4. Mobility in soil

**Mobility:** The product is non-volatile.

#### Ecological information on ingredients.

### DIPHENYLMETHANEDIISOCYANATE (MIXTURE OF ISOMERS AND HOMOLOGUES)

**Mobility:** The product is non-volatile.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment:** This product does not contain any substances classified as PBT or vPvB.

#### Ecological information on ingredients.

### DIPHENYLMETHANEDIISOCYANATE (MIXTURE OF ISOMERS AND HOMOLOGUES)

**Results of PBT and vPvB assessment:** This product does not contain any substances classified as PBT or vPvB

### 12.6 Endocrine disrupting properties

**Endocrine disrupting properties :** None know.

### 12.7. Other adverse effects

**Other adverse effects:** None known.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**General information:** Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority

**Disposal methods:** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

---

## Section 14: Transport information

**General:** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

**UN number:** Not applicable

### 14.2. UN proper shipping name

**Shipping name:** Not applicable

### 14.3. Transport hazard class(es)

No transport warning sign required.

**Transport labels:** Not applicable

### 14.4. Packing group

**Packing group:** Not applicable

### 14.5. Environmental hazards

**Environmentally hazardous / Marine pollutant:** No

### 14.6. Special precautions for user:

**Special precautions for user:** Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

---

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations:** Health and Safety at Work etc. Act 1974 (as amended).  
The Control of Substances Hazardous to Health  
Regulations 2002 (SI 2002 No. 2677) (as amended).

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

**EU legislation:**

EU legislation:

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).

REGULATION (EU) No 528/2012 (as amended) concerning the making available on the market and use of biocidal products.

**15.2. Chemical Safety Assessment**

**Chemical safety assessment:** No chemical safety assessment has been carried out.

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

---

**Section 16: Other information**

The full text for Hazard Statements in section 16 relates to the reference numbers in sections 2 and 3 and not necessarily the finished product classification.

**Hazard statements in full:** H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation.  
H335 May cause respiratory irritation.  
H351 Suspected of causing cancer.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

**Store Between:** Store Between 5C – 25C

**Contains SVHC:** No

Sources of key data used to compile the Safety Data Sheet:  
Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date:	26 <sup>th</sup> October 2022
Version number:	5
Revision Comments:	Updated classification and formatting and data in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

**Legal Disclaimer:**

This product should be used as directed by EnviroStik Holdings (UK) Ltd. For further information consult the application data sheet.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

\* These figures are typical and do not constitute a specification.