MATERIAL SAFETY DATA SHEET

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Names: Ultrafix/ Flexibond

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC1 Adhesive.

1.3. Details of the supplier of the safety data sheet

Company name: EnviroStik Holdings (UK) Ltd,

Unit 7 & 8, Opal Way, Stone Business Park.

Stone,

Staffordshire, ST15 0SS

Tel: (01889) 271751

Email: salessupport@envirostik.com

1.4. Emergency telephone number

Emergency tel: (01889) 271751 (Monday to Friday 9am – 5pm)

No nanforms are used.

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Not classified.

Most important adverse effects: General cleanliness in use should be

observed.

Inhalation of dust from the dried product should be avoided.

2.2. Label elements

None

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB or any endocrine disruptors.

Section 3: Composition/information on ingredients

3.2. Mixtures

None.

The Full Text for all Hazard Statements are Displayed in Section 16.

Section 4: First aid measures

4.1. Description of first aid measures

General Information: Remove affected person from source of contamination.

Inhalation: Move affected person to fresh air at once. Get medical

attention if any discomfort continues.

Ingestion: Do not induce vomiting. Get medical attention immediately.

Skin Contact: Remove contaminated clothing immediately and wash skin

with soap and water. Get medical attention if any

discomfort continues.

Eye Contact: Rinse immediately with plenty of water. Remove any

contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data

Sheet to the medical personnel.

Protection of first aiders: First aid personnel should wear appropriate protective

equipment during any rescue

4.2. Most important symptoms and effects, both acute and delayed

General information: The severity of the symptoms described will vary

dependent on the concentration and the length of

exposure.

Inhalation: May cause respiratory irritation.

Ingestion: There may be soreness and redness of the mouth and

throat.

Skin Contact: Prolonged skin contact may cause redness and irritation.

Eye Contact: There may be irritation and redness.

4-10-23 Page 2 of 11

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor: No specific recommendations. If in doubt, get medical

attention promptly.

Specific treatments: Treat symptomatically.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: Carbon dioxide. Dry chemical powder. Alcohol or

polymer foam.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will

spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards: The product is non-combustible. Irritating gases or vapours. Not

known.

Hazardous combustion products:

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon. Oxides of

nitrogen.

5.3. Advice for fire-fighters

Protective actions during firefighting:

Containers close to fire should be removed or cooled with water.

Do not allow water to contact any leaked material.

Special protective equipment for firefighters:

Wear chemical protective suit. Wear positive-pressure selfcontained breathing apparatus (SCBA) and appropriate protective

clothing.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions: Refer to section 8 of SDS for personal protection

details.

6.2. Environmental precautions

Safety Data Sheet Ultrafix/ Flexibond Adhesive v7

4-10-23 Page 3 of 11

Environmental Precautions: Contain the spillage using bunding. Do not

discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean up Procedures: Absorb spillage with non-combustible, absorbent

material. Collect and place in suitable waste disposal containers and seal securely. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains,

sewers or watercourses.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS for personal protection

details.

Section 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions:Do not use in confined spaces without adequate

ventilation and/or respirator.

Advice on general occupational hygiene:

Wash promptly with soap and water if skin becomes contaminated. Preventive industrial medical examinations should be carried out.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions: Store in closed original container. Store in cool, well

ventilated area.

Storage class: Chemical storage. Incompatibilities: Strong oxidising agents.

7.3. Specific end use(s)

Specific end use(s): The identified uses for this product are detailed in

Section 1.2.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Safety Data Sheet Ultrafix/ Flexibond Adhesive v7

4-10-23 Page 4 of 11

The product does not contain any relevant quantities with critical values that have to be monitored in the workplace.

Respirable dust when abrading cured material.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls:

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits

for the product or ingredients.

Eye/face protection: Wear chemical splash goggles.

Hand protection:

It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended. For exposure up to 8 hours, wear gloves made of the following material:

Neoprene.

Other skin and body protection: Wear suitable protective clothing as protection

against splashing or contamination. Wear apron or

protective clothing in case of contact.

Hygiene measures: Use engineering controls to reduce air

contamination to permissible exposure level. Wash hands after handling. When using do not eat, drink

or smoke.

Respiratory protection: If ventilation is inadequate, suitable respiratory

protection must be worn. If ventilation is

inadequate, suitable respiratory protection must be worn. Wear a respirator fitted with the following

cartridge: Combination filter, type A2/P3.

Thermal hazards: Not relevant

Environmental exposure controls:

Keep container tightly sealed when not in use.

Safety Data Sheet Ultrafix/ Flexibond Adhesive v7

4-10-23 Page 5 of 11

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

(a) Physical State: Paste (b) Colour: Green

(c) Odour: Perceptible odour

(d) Melting Point/Freezing point:
-10 °C
(e) Initial Boiling Point:
-10 °C
>100 °C
Not available
(g) Lower and upper explosion limits:
(h) Flash Point:
-10 °C
Not available
Not available
>100 °C
Not available
>100 °C
Not available
Not available
Not available

(k) pH: N/A

(I) Kinematic Viscosity: High viscosity (m)Solubility: Insoluble in water

(n) Partition coefficient n-octanol/water (log value): Not available

(o) Vapour pressure: Not available

(p) Relative Density: 1.6

(q) Relative Vapour density: Not available (r) Particle Characteristics: Not relevant

9.2. Other information

Other information: No information required.

Refractive index:
Particle size:
Molecular weight:
Volatility:
Saturation concentration:
Critical temperature:
Not available.
Not available.
Not available.
Not available.

Volatile organic compound: No information available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable at normal ambient temperatures and when used as

recommended.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Safety Data Sheet Ultrafix/ Flexibond Adhesive v7

4-10-23 Page 6 of 11

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition products:

In combustion emits toxic fumes.

Section 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects: No information available.

Other health effects: There is no evidence that the product can cause cancer.

Acute toxicity - inhalation No data available

Skin corrosion/irritation - Animal data: No data available

Serious eye damage/irritation: No data available

Respiratory sensitisation:No data available

Skin sensitisation: No data available

Carcinogenicity: No data available

Target organ for carcinogenicity: No data available

Reproductive toxicity

Reproductive toxicity – fertility:

Reproductive toxicity – development:

No data available

No data available

Specific target organ toxicity (STOT) - repeated exposure:

No data available

Aspiration hazard: No data available

11.2 Information on other hazards

No endocrine disrupting properties.

Section 12: Ecological information

Ecotoxicity: The product is not expected to be hazardous to the environment.

12.1. Toxicity

Safety Data Sheet Ultrafix/ Flexibond Adhesive v7

4-10-23 Page 7 of 11

Ecotoxicity values: Not applicable.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable in part only.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Absorbed only slowly into soil. Heavier than water. Vapour is heavier than

air.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: This product does not contain any

substances classified as PBT or vPvB.

12.7. Other adverse effects

Other adverse effects: None known.

Section 13: Disposal considerations

13.1. Waste treatment methods

General information: Waste should be treated as controlled waste. Dispose of

waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority

Disposal methods: Dispose of waste to licensed waste disposal site in

accordance with the requirements of the local Waste

Disposal Authority.

Section 14: Transport information

General: The product is not covered by international regulations on the transport

of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

UN number: Not applicable

14.2. UN proper shipping name Shipping name: Not applicable

Safety Data Sheet Ultrafix/ Flexibond Adhesive v7

4-10-23

14.3. Transport hazard class(es)

No transport warning sign required.

Transport labels: Not applicable

14.4. Packing group

Packing group: Not applicable

14.5. Environmental hazards

Environmentally hazardous / Marine pollutant: No

14.6. Special precautions for user:

Special precautions for user: Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations: Health and Safety at Work etc. Act 1974 (as amended).

The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). The Chemicals (Hazard Information and Packaging for

Supply) Regulations 2009 (SI 2009 No. 716).

EU legislation: EU legislation:

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and

biological agents at work.

Commission Directive 2000/39/EC of 8 June 2000

establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of

Safety Data Sheet Ultrafix/ Flexibond Adhesive v7

4-10-23 Page 9 of 11

workers from the risks related to chemical agents at work (as amended).

REGULATION (EU) No 528/2012 (as amended) concerning the making available on the market and use of biocidal products.

15.2. Chemical Safety Assessment

Chemical safety assessment: No chemical safety assessment has been carried out.

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

Section 16: Other information

The full text for Hazard Statements in section 16 relates to the reference numbers in sections 2 and 3 and not necessarily the finished product classification.

Hazard statements in full: None.

Sources of key data used to compile the Safety Data Sheet: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Revision Date: 15th September 2022

Version number:

Revision Comments: Updated classification and

formatting and data in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration,

Evaluation, Authorisation and Restriction of Chemicals (REACH)

Legal Disclaimer:

This product should be used as directed by EnviroStik Holdings (UK) Ltd. For further information consult the application data sheet.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

* These figures are typical and do not constitute a specification.